

September 19, 2019

Arcelor Mittal USA, Inc.  
250 W US Highway 12  
Burns Harbor, IN 46304-9745

Work Order No.: 19I1179

Re: NPDES Excursion-CN

Dear Teri Kirk:

Microbac Laboratories, Inc. - Chicagoland Division received 3 sample(s) on 9/19/2019 10:15:00AM for the analyses presented in the following report as Work Order 19I1179.

The enclosed results were obtained from and are applicable to the sample(s) as received at the laboratory. All sample results are reported on an "as received" basis unless otherwise noted.

All data included in this report have been reviewed and meet the applicable project specific and certification specific requirements, unless otherwise noted. A qualifications page is included in this report and lists the programs under which Microbac maintains certification.

This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of Microbac Laboratories.

We appreciate the opportunity to service your analytical needs. If you have any questions, please contact your project manager. For any feedback, please contact Ron Misiunas, Division Manager, at [ron.misiunas@microbac.com](mailto:ron.misiunas@microbac.com).

Sincerely,  
Microbac Laboratories, Inc.



Carey Gadzala  
Project Manager



**WORK ORDER SAMPLE SUMMARY**

**Date:** *Thursday, September 19, 2019*

**Client:** Arcelor Mittal USA, Inc.  
**Project:** NPDES Excursion-CN  
**Lab Order:** 19I1179

---

<b>Lab Sample ID</b>	<b>Client Sample ID</b>	<b>Tag Number</b>	<b>Collection Date</b>	<b>Date Received</b>
19I1179-01	Lagoon Channel Inlet		09/19/2019 00:00	9/19/2019 10:15:00AM
19I1179-02	South Lagoon Inlet		09/19/2019 00:00	9/19/2019 10:15:00AM
19I1179-03	011		09/19/2019 00:00	9/19/2019 10:15:00AM

## Analytical Results

Date: *Thursday, September 19, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19I1179-01
<b>Client Project:</b>	NPDES Excursion-CN	<b>Sampled:</b>	09/19/2019 0:00
<b>Client Sample ID:</b>	Lagoon Channel Inlet	<b>Received:</b>	09/19/2019 10:15
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: <b>SM 4500-CN C/E-1999</b>		Analyst: <b>ABG</b>			
<b>Total Cyanide</b>			Prep Method: <b>NA</b>		Prep Date/Time: <b>09/19/2019 11:03</b>			
Cyanide, Total	dij	A	<b>0.0052</b>	0.0050		mg/L	1	09/19/2019 14:36

## Analytical Results

Date: *Thursday, September 19, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19I1179-02
<b>Client Project:</b>	NPDES Excursion-CN	<b>Sampled:</b>	09/19/2019 0:00
<b>Client Sample ID:</b>	South Lagoon Inlet	<b>Received:</b>	09/19/2019 10:15
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: <b>SM 4500-CN C/E-1999</b>		Analyst: <b>ABG</b>			
<b>Total Cyanide</b>			Prep Method: <b>NA</b>		Prep Date/Time: <b>09/19/2019 11:03</b>			
Cyanide, Total	dij	A	<b>0.0081</b>	0.0050		mg/L	1	09/19/2019 14:38

## Analytical Results

Date: *Thursday, September 19, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19I1179-03
<b>Client Project:</b>	NPDES Excursion-CN	<b>Sampled:</b>	09/19/2019 0:00
<b>Client Sample ID:</b>	011	<b>Received:</b>	09/19/2019 10:15
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: <b>SM 4500-CN C/E-1999</b>		Analyst: <b>ABG</b>			
<b>Total Cyanide</b>			Prep Method: <b>NA</b>		Prep Date/Time: <b>09/19/2019 11:03</b>			
Cyanide, Total	dij	A	<b>ND</b>	0.0050		mg/L	1	09/19/2019 14:40

---

**ANALYTE TYPES: (AT)**

A, B = Target Analyte

I = Internal Standard

M = Summation Analyte

S = Surrogate

T = Tentatively Identified Compound (TIC, concentration estimated)



---

**QC SAMPLE IDENTIFICATIONS**

BLK = Method Blank

DUP = Method Duplicate

BS = Method Blank Spike

MS = Matrix Spike

ICB = Initial Calibration Blank

CCB = Continuing Calibration Blank

CRL = Client Required Reporting Limit

PDS = Post Digestion Spike

QCS = Quality Control Standard

ICSA = Interference Check Standard "A"

ICSAB = Interference Check Standard "AB"

BSD = Method Blank Spike Duplicate

MSD = Matrix Spike Duplicate

ICV = Initial Calibration Verification

CCV = Continuing Calibration Verification

OPR = Ongoing Precision and Recovery Standard

SD = Serial Dilution

---

**CERTIFICATIONS (Certs)**

*Below is a list of certifications maintained by the Microbac Merrillville Laboratory. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. Complete lists of individual analytes pursuant to each certification below are available upon request.*

d Illinois EPA drinking water, wastewater and solid waste analysis (#200064)

i Kansas Dept Health &amp; Env. NELAP (#E-10397)

j Kentucky Wastewater Laboratory Certification Program (#108202)

---

**FLAGS, FOOTNOTES AND ABBREVIATIONS (as needed)****RL:** Reporting Limit**RPD:** Relative Percent Difference

## Cooler Receipt Log

Cooler ID: Default Cooler

Temp: 1.9°C  
 MICROBAC®

### Comments

No times on sample containers

---

### Cooler Inspection Checklist


Ice Present or not required?	Yes
Shipping containers sealed or not required?	Yes
Custody seals intact or not required?	Yes
Chain of Custody (COC) Present?	Yes
COC includes customer information?	Yes
Relinquished and received signature on COC?	Yes
Sample collector identified on COC?	Yes
Sample type identified on COC?	No
Correct type of Containers Received	Yes
Correct number of containers listed on COC?	Yes
Containers Intact?	Yes
COC includes requested analyses?	Yes
Enough sample volume for indicated tests received?	Yes
Sample labels match COC (Name, Date & Time?)	No
Samples arrived within hold time?	Yes
Correct preservatives on COC or not required?	Yes
Chemical preservations checked or not required?	Yes
Preservation checks meet method requirements?	Yes
VOA vials have zero headspace, or not recd.?	Yes

---

Microbac Laboratories, Inc.

250 West 84<sup>th</sup> Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | [www.microbac.com](http://www.microbac.com)

CHAIN OF CUSTODY RECORD



Number **152532**  
Instructions on back

Lab Report Address  
Client Name: **Arcelor Mittal BH**  
Address:  
City, State, Zip:  
Contact: **Toni Rink**  
Telephone No.:

Turnaround Time  
 Routine (5 to 7 business days)  
 RUSH\* (notify lab)  
(needed by)  
Report Type  
 Results Only  Level 1  Level 2  Level 3  Level 4  EDD

**RUSH!**

Temperature Upon Receipt (°C) **2.3**  
Therm ID **0-3**  
Holding Time **1.9**  
Samples Received on Ice?  Yes  No  N/A  
Custody Seals Intact?  Yes  No  N/A

Send Report via:  Mail  Fax  e-mail (address)  
Location: PO No.:  
Compliance Monitoring?  Yes  No  
 Agency/Program

Sampled by (PRINT): **Warren Howard** Sampler Signature:  
Sampler Phone No.:

\* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)  
\*\* Preservative Types: (1) HNO3, (2) H2SO4, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

Lab ID	Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **	NH3	TSS	Phenol	Zn	Cd	Pb	Si:UCL	F06	Residual	Additional Notes
191179	001	9/18/19				G		X	X	X	X	X	X	X	X		191179
	001	9/18/19				G		X	X	X	X	X	X	X	X		
	011	9/18/19				G		X	X	X	X	X	X	X	X		
	011	9/18/19				G		X	X	X	X	X	X	X	X		
	002	9/18/19				G		X	X	X	X	X	X	X	X		
	002	9/18/19				G		X	X	X	X	X	X	X	X		
	011	9/19/19				G		X	X	X	X	X	X	X	X		-01
	011	9/19/19				G		X	X	X	X	X	X	X	X		-02
	011	9/19/19				G		X	X	X	X	X	X	X	X		-03

Relinquished By (signature)	Date/Time	Relinquished By (signature)	Date/Time	Relinquished By (signature)	Date/Time	Sample Disposition	Disposition as appropriate	Return	Archive
<i>Warren Howard</i>	9/19/19 0805	<i>Toni Rink</i>	9/19/19 0805			<input type="checkbox"/> Dispose as appropriate	<input type="checkbox"/> Return	<input type="checkbox"/> Archive	
<i>Toni Rink</i>	9/19/19 1015	<i>Toni Rink</i>	9/19/19 1015						
<i>Toni Rink</i>	9/19/19 1015	<i>Toni Rink</i>	9/19/19 1015						

191179 Carey Gadzala  
ArcelorMittal - Burns Harbor, IN  
NPDES Excursion-CN  
09/19/2018

